ARTICLE · 2009

Towards an Integrative Model of Trauma Therapy

By Morit Heitzler

By Morit Heitzler. Published in Contemporary Body Psychotherapy: The Chiron Approach (ed. Hartley, Routledge, 2009). This chapter proposes an integrative model for trauma therapy that brings together body psychotherapy, EMDR, attachment theory, and relational psychoanalysis into a coherent clinical framework.

KEY THEMES

— Integrating body psychotherapy with EMDR and attachment

— A model for complex developmental trauma

— The therapeutic relationship in trauma work

— Phased approach to trauma therapy

— Body as both resource and site of the wound

The Need for Integration

No single approach to trauma therapy has all the answers. Body psychotherapy offers a deep understanding of the somatic dimension of traumatic experience; EMDR offers a structured and evidence-based approach to processing traumatic memories; attachment theory provides a framework for understanding the relational origins of complex trauma; relational psychoanalysis offers the richest account of the therapist-client relationship as the primary vehicle of healing.

An integrative model draws on all of these, not eclectically — taking techniques from each — but integrally: allowing each tradition's understanding to inform and qualify the others. The result is a clinical approach that is more responsive to the full complexity of traumatised clients than any single tradition can offer.

The central organising principle of the model proposed here is the therapeutic relationship: not as a warm background against which the 'real' trauma work happens, but as the primary medium through which healing occurs. Techniques are valuable, but they are valuable in the context of a relationship which the client's nervous system experiences as safe, responsive, and genuinely present.

A Phased Approach

The integrative model operates in three broad phases, though these are understood as overlapping and recursive rather than strictly sequential. The first phase — stabilisation and resourcing — focuses on building the client's capacity to remain regulated in the presence of distressing material, and on establishing the therapeutic relationship as a genuine resource for the client's nervous system.

The second phase — processing — engages directly with the traumatic material, using a combination of body-focused attention and structured memory processing to allow the traumatic experience to be metabolised rather than simply re-experienced. The pacing and depth of this phase are guided primarily by somatic indicators of the client's capacity to tolerate what is arising, and by attention to the relational field between client and therapist.

The third phase — integration — addresses the ways in which the processed traumatic experience needs to be integrated into the client's sense of self, their relationships, and their understanding of their own history. This is not a separate phase so much as an ongoing process that begins in the first session and continues throughout the therapy — and that requires the same quality of relational attunement and somatic sensitivity as the earlier phases.

The Body as Resource and Site of the Wound

One of the distinctive contributions of body psychotherapy to trauma work is the understanding that the body is simultaneously the site of the wound and a resource for healing. The same body that holds the traumatic experience also holds the capacity for self-regulation, for pleasure, for connection, and for aliveness.

This dual role of the body is clinically important. It means that working with the body in trauma therapy is not simply a matter of processing somatic symptoms or releasing held tension — it is also a matter of helping the client develop a more spacious, accepting, and curious relationship with their own bodily experience. The goal is not a body that is free from difficulty, but a body that can be inhabited more fully — even in its difficulty.

The therapist's own embodied presence is central to this. When the therapist is genuinely alive in their own body, genuinely attuned to their own somatic experience, and genuinely present in the relational field, they offer the client something which no technique can: the experience of another person who is not afraid of the body's experience, and who can remain present in the face of what the client's body carries.

BIBLIOGRAPHY

— Heitzler, M. (2008) Processing the body: integrating EMDR and body psychotherapy. EMDR Europe Conference

— Herman, J. (1992) Trauma and Recovery. New York: Basic Books

— Levine, P. (1997) Waking the Tiger. Berkeley CA: North Atlantic Books

— Schore, A.N. (1994) Affect Regulation and the Origin of the Self. Erlbaum

— Soth, M. (2005) Embodied countertransference. In N. Totton (ed.) New Dimensions in Body Psychotherapy. OUP

Published at soth.co.uk · © 2009 Morit Heitzler · All rights reserved